



## STANDARDIZE 4 SAFETY INITIATIVE

Standardize 4 Safety is the first national, interprofessional effort to standardize medication concentrations to reduce errors, especially during transitions of care.

These national standards will cover:

- Concentrations and dosing units for intravenous continuous medications for adult patients.
- Concentrations for compounded oral liquid medications.
- Concentrations and dosing units for intravenous continuous medications for pediatric patients.
- Doses for oral liquid medications.
- Concentrations for intravenous intermittent medications.
- Concentrations for PCA and epidural medications.

The Standardize 4 Safety initiative began in 2008 when a multi-stakeholder IV summit was held to address preventing patient harm and death from intravenous (IV) medication errors. Among the recommendations made by the participants was to establish national standards for IV medications in hospitals including standardized concentrations and dosing. In addition, it was recommended that the national standards be created in collaboration with the Food and Drug Administration (FDA), the pharmaceutical industry, and other stakeholders. Since the summit, establishing standardized concentrations has garnered strong support from ASHP members, the Joint Commission, the Institute for Safe Medical Practices (ISMP), and others.<sup>1 2 3 4</sup>

In 2015 the FDA, through its Safe Use Initiative, awarded ASHP a grant to develop and implement national standardized concentrations for IV and oral liquid medications. The aims of the grant were to: (1) identify a nationwide expert interprofessional panel consisting of physicians, nurses, and pharmacists; (2) create standards for adult continuous IV infusions, compounded oral liquid medications, pediatric continuous IV infusions, doses for liquid medications, intravenous intermittent infusions, and PCA and epidural medications; (3) disseminate the standards and assess their adoption.

<sup>1</sup> ASHP Best Practices: Position and guidance documents of ASHP. 2014. ASHP, Bethesda, Maryland.

<sup>2</sup> Larsen GY, Parker HB, Cash J. et.al. Standard Drug Concentrations and Smart-Pump Technology Reduce Continuous-Medication-Infusion Errors in Pediatric Patients. *Pediatrics* 2005;116:e21–e25.


<sup>3</sup> Joint Commission. Preventing Pediatric Medication Errors. <https://www.jointcommission.org/-/media/tjc/documents/resources/patient-safety-topics/sentinel-event/sea-39-ped-med-errors-rev-final-4-14-21.pdf>. (accessed March 15, 2024)

<sup>4</sup> Shekelle PG, Wachter RM, Pronovost PJ, et.al. An Updated Critical Analysis of the Evidence for Patient Safety Practices. Comparative Effectiveness Review No. 211. (Prepared by the Southern California-RAND Evidence-based Practice Center under Contract No. 290-2007-10062-1.) AHRQ Publication No. 13-E001-EF. Rockville, MD: Agency for Healthcare Research and Quality. March 2013. [www.ahrq.gov/research/findings/evidence-based-reports/ptsafetyuptp.html](http://www.ahrq.gov/research/findings/evidence-based-reports/ptsafetyuptp.html). (accessed September 20, 2020)

## WHY STANDARDIZE

*To Err is Human* was published in 1999 and highlighted the harm to patients from healthcare error. In that report, medication errors were stated to be responsible for one of 131 outpatient and one of 854 inpatient deaths.<sup>5</sup> Healthcare continues to struggle to eliminate harm to patients. A systematic review and meta-analysis in 2019 estimated one in 20 patients are exposed to preventable medical harm with the highest incidence of events due to medications. Compounded medications,<sup>6</sup> especially those given intravenously, are known to be high risk for error due to added complexity and multiple steps required for determining dosing when ordering, concentrations for preparation, and rates of infusion for administering.<sup>7 8</sup> Using standardization as a quality improvement tool decreases variation, improves safety, and is the foundation for using clinical pathways and evidence-based guidelines. Standardization allows providers to manage excessive and unintended variation as they customize care for patients.<sup>9</sup>

## PRINCIPLES FOR PEDIATRIC CONTINUOUS INFUSION STANDARDS



5 Kohn LT, Corrigan J, Donaldson Molla S, eds; Institute of Medicine Committee on Quality of Health Care in America. *To Err is Human: Building a Safer Health System*. Washington, DC: National Academy Press; 2000.

6 Panagioti, M, Khan K, Keers RN, et.al. Prevalence, severity, and nature of preventable patient harm across medical care settings: systematic review and meta-analysis. *BMJ* 2019;366:l4185 | doi: 10.1136/bmj.l4185.

7 Hedlund N, Beer I, Hoppe-Tichy T, Trbovich P. Systematic evidence review of rates and burden of harm of intravenous admixture drug preparation errors in healthcare settings. *BMJ Open*. 2017; 7(12): e015912.


8 Sutherland A, Canobbio M, Clarke J, et.al. Incidence and prevalence of intravenous medication errors in the UK: a systematic review. *Eur J Hosp Pharm*. 2020 Jan; 27(1): 3–8.

9 Lloyd R. Does Standardization Mean the End of Autonomy? Institute for Healthcare Improvement. <https://www.ihl.org/insights/does-standardization-mean-end-autonomy>. (accessed March 20, 2024)

## HOW THE NATIONAL MEDICATION CONCENTRATION STANDARDS WERE DEVELOPED

A comprehensive environmental scan was conducted to identify the appropriate medications to be addressed in the respective standard concentrations. A multi-disciplinary expert panel was convened for each standard concentration category. Members were selected based on their expertise in the subject matter and identified with assistance from organizations such as The American Society of Anesthesiologists, Society of Critical Care Medicine, and American Association of Critical-Care Nurses. Each expert panel was charged to establish standard principles to guide their decisions in creating the respective standard concentration recommendations. Once a draft of standards was established, it was released for public comment and review by ASHP staff and ISMP. The expert panel subsequently met to address all comments and generate the National Medication Concentration Standards.

## PRINCIPLES FOR EXPERT PANEL DELIBERATIONS



## EXPERT PANEL

### PHYSICIANS

**Mitchell R. Goldstein, MD**

Professor, Pediatrics, Neonatology Division  
School of Medicine  
Loma Linda University Health  
Loma Linda, CA

**Randi Trope, DO, MBA FAAP**

Vice-Chair, Pediatric Quality & Safety, Medical  
Director of Patient Safety  
Stony Brook Children's Hospital  
Stony Brook, NY

**Vinay Vaidya, MD**

Phoenix Children's Hospital  
Phoenix, AZ

### NURSES

**Rebecca Isbell Hunt, DNSP, APRN-CNP, ACCNS-Neonatal**

American Association of Critical-Care Nurses

**Rachel A. Joseph, PhD, MA, CCRN (Neo)**

American Association of Critical-Care Nurses  
Aliso Viejo, CA

**Kimberly Whalen RN, MS, CCRN**

Nursing Director  
Pediatric Intensive Care Unit  
Massachusetts General Hospital  
Boston, MA

**Lori Williams, DNP, RN**

Clinical Nurse Specialist  
University Of Wisconsin Health  
Madison, WI

### PHARMACISTS

**Jared Cash, MBA, BCPS, FPPA**

Director Of Pharmacy  
Primary Children's Hospital  
Salt Lake City, Utah

**Regine Cauthers White, PharmD**

Pediatric Senior Clinical Content Specialist  
Wolters Kluwer Health  
Philadelphia, PA

**Brandon Clubb, PharmD, MBA, BCSCP**

Riley Hospital for Children  
Indianapolis, IN

**Jeong-eun Kim, PharmD, MBA, BCPPS, BCPS**

Pharmacy Manager  
New York Presbyterian Hospital

**Jake Luke, PharmD**

Primary Children's Hospital  
Salt lake City, UT

**Rachel S. Meyers, PharmD, BCPS, BCPPS**

Clinical Professor  
Pharmacy Practice and Administration  
Rutgers Ernest Mario School of Pharmacy  
Piscataway, NJ

**Shelly Morvay, PharmD, CPPS**

Medication Safety Pharmacist  
Nationwide Children's Hospital  
Columbus, OH

## DISCLAIMERS

- Suggested concentrations may differ from the package insert (PI) information for a drug. This is due to clinical needs that may have transpired postmarket. When this is the case, studies are available to support the use of a concentration different than what the parent company originally pursued through the new drug application (NDA) process.
- Please use the utmost caution when using a concentration different than the PI, especially if rate information is used from the PI.
- Dosing units were derived from PI information, commonly used drug-reference guides, and clinical practice guidelines.
- Of special note, the expert panel is recommending that weight-based dosing be used for vasopressors (i.e., per kg, per minute), which may differ from institution specific guidelines. We strongly encourage that drug libraries and electronic health records (EHRs), including the electronic medication administration record, make distinct differences for weight-based vs. non-weight-based dosing so nurses can easily distinguish what pump programming is needed.
- These concentrations are guidelines only and are not mandatory. It is our hope that organizations will voluntarily adopt these concentrations and join a national movement to use standardization across the care continuum as an error-prevention strategy for patient safety.
- The information contained in this table is subject to the professional judgment and interpretation of the practitioner. ASHP has made reasonable efforts to ensure the accuracy and appropriateness of the information presented. However, any reader of this information is advised that ASHP is not responsible for the continued currency of the information, for any errors or omissions, and/or for any consequences arising from the use of the information in the self-assessment tool. Any user of the table is cautioned that ASHP makes no representation, guarantee, or warranty, express or implied, as to the accuracy and appropriateness of the information contained in it, and will bear no responsibility or liability for the results or consequences of its use.

## CONSIDERATIONS IN USING THE PEDIATRIC CONTINUOUS INFUSION STANDARDS

The 80/20 rule was applied by the expert panel to determine recommended standard concentrations. The concentrations listed reflect those applicable to most patient care circumstances. The panel recognizes situations occur where the most appropriate concentration for a patient may not be the recommended standard.

Whenever possible one standard infusion concentration is the recommendation. When more than one standard concentration was recommended it was to accommodate patient care needs for extremely small neonates, fluid restrictions, differences required for peripheral versus central lines, to simplify calculations and accommodate limitations of pump infusion rates.

Medications with more than one recommended concentration are listed from lowest to highest concentration, with the numbering corresponding to the respective stability reference(s).

The concept of bracketing was employed for references for stability. For more information review: <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/q1d-bracketing-and-matrixing-designs-stability-testing-new-drug-substances-and-products>.

The Pediatric Continuous Infusion Standards are intended for children less than 50 kg.

| Drug              | Concentration Standards                                                             | Dosing units       | Commercially available | Concentration vs. unit mismatch | References                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------|-------------------------------------------------------------------------------------|--------------------|------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Alprostadil       | <ol style="list-style-type: none"> <li>1. 5 mcg/mL</li> <li>2. 10 mcg/mL</li> </ol> | mcg/kg/min         | No                     | Possibly depending on vial      | <ol style="list-style-type: none"> <li>1. Pharmacia &amp; Upjohn Company. Prostin VR Pediatric® (alprostadil sterile solution) injection prescribing information. Kalamazoo, MI; 2013 April. AHFS</li> <li>2. Pharmacia &amp; Upjohn Company. Prostin VR Pediatric® (alprostadil sterile solution) injection prescribing information. Kalamazoo, MI; 2013 April. AHFS</li> </ol>                                    |
| Alteplase         | 1 mg/mL                                                                             | mg/kg/hour         | No                     | No                              | <ol style="list-style-type: none"> <li>1a. Frazen BS, Maximal Dilution of Activase. <i>Am J Hosp Pharm</i>, 1990;47:2016.</li> <li>1b. Product Information: Activase(R) intravenous injection, alteplase intravenous injection. Genentech, Inc.(per Manufacturer), South San Francisco, CA, 2015- Micromedix</li> </ol>                                                                                             |
| Aminocaproic Acid | <ol style="list-style-type: none"> <li>1. 20 mg/mL</li> <li>2. 100 mg/mL</li> </ol> | mg/kg/hr           | No                     | No                              | <ol style="list-style-type: none"> <li>1. Product Information: Aminocaproic acid Injection, USP. American Regent, Inc., Shirley, NY, 2020 May.</li> <li>2. Zhang YP, Trissel LA. Stability of aminocaproic acid injection admixtures in 5% dextrose injection and 0.9% sodium chloride injection. <i>Int J Pharm Compd</i>. 1997;1:132-4.</li> </ol>                                                                |
| Amiodarone        | 1.8 mg/mL                                                                           | <b>mcg/kg/min*</b> | Yes - 1.8 mg/mL        | Yes                             | <ol style="list-style-type: none"> <li>1a. Campbell S, Nolan PE, Bliss M et al. Stability of amiodarone hydrochloride in admixtures with other injectable drugs. <i>Am J Hosp Pharm</i>. 1986; 43:917-21.</li> <li>1b. Product Information: amiodarone HCl intravenous injection, amiodarone HCl intravenous injection. Teva Canada Limited (per Health Canada), Toronto, ON, Canada, 2016. - Micromedix</li> </ol> |

| Drug            | Concentration Standards  | Dosing units        | Commercially available                        | Concentration vs. unit mismatch | References                                                                                                                                                                                                                                                                                          |
|-----------------|--------------------------|---------------------|-----------------------------------------------|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Argatroban      | 1 mg/mL                  | <b>mcg/kg/min*</b>  | Yes                                           | Yes                             | 1a. Product Information: argatroban injection, argatroban injection. GlaxoSmithKline, Research Triangle Park, NC, 2009.<br>1b. Product Information: argatroban IV injection aqueous solution, argatroban IV injection aqueous solution. The Medicines Company (per DailyMed), Parsippany, NJ, 2011. |
| Bumetanide      | 0.25 mg/mL               | <b>mcg/kg/hour*</b> | Yes - 0.25 mg/mL undiluted drug from the vial | Yes                             | 1. Roche Laboratories. Bumex® (bumetanide) tablets and injection prescribing information. Nutley, NJ; 1999 Feb.                                                                                                                                                                                     |
| Cisatracurium   | 1. 1 mg/mL<br>2. 2 mg/mL | <b>mcg/kg/min</b>   | Yes, undiluted from the 2 mg/mL vial          | Yes                             | 1. Pignard J. Physiochemical stability study of injectable solutions of cisatracurium besilate in clinical conditions. Ann Fr Anesth Reanim. 2014; 33:304-9.<br>2. Abbvie. Nimbex® (cisatracurium besylate) injection prescribing information. North Chicago, IL; 2016 Dec.                         |
| Clevidipine     | 0.5 mg/mL                | <b>mcg/kg/min*</b>  | Yes                                           | Yes                             | 1. Product Information: Cleviprex (clevidipine) injectable emulsion. Chiesi USA Inc. Cary, NC. 2021 April                                                                                                                                                                                           |
| Dexmedetomidine | 4 mcg/mL                 | mcg/kg/hour         | Yes                                           |                                 | 1. Hospira. Precedex® (dexmedetomidine) injection prescribing information. Lake Forest, IL; 2016 Apr.                                                                                                                                                                                               |

| Drug               | Concentration Standards                                                                                 | Dosing units | Commercially available | Concentration vs. unit mismatch                               | References                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|---------------------------------------------------------------------------------------------------------|--------------|------------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>DOBU</b> Tamine | <ol style="list-style-type: none"> <li>1000 mcg/mL</li> <li>2000 mcg/mL</li> <li>4000 mcg/mL</li> </ol> | mcg/kg/min   | Yes                    | Possibly, depending on pharmacy or outsourcing facility lab   | <ol style="list-style-type: none"> <li>Hospira. Dobutamine in 5% dextrose injection prescribing information. Lake Forest, IL; 2006 June.</li> <li>Hospira. Dobutamine in 5% dextrose injection prescribing information. Lake Forest, IL; 2006 June.</li> <li>Hospira. Dobutamine in 5% dextrose injection prescribing information. Lake Forest, IL; 2006 June.</li> </ol>                                     |
| <b>DOP</b> amine   | <ol style="list-style-type: none"> <li>800 mcg/mL</li> <li>1600 mcg/mL</li> <li>3200 mcg/mL</li> </ol>  | mcg/kg/min   | Yes                    | Possibly, depending on pharmacy or outsourcing facility label | <ol style="list-style-type: none"> <li>Hospira. Dopamine hydrochloride and 5% dextrose injection prescribing information. Lake Forest, IL; 2014 May.</li> <li>Hospira. Dopamine hydrochloride and 5% dextrose injection prescribing information. Lake Forest, IL; 2014 May.</li> <li>Hospira. Dopamine hydrochloride and 5% dextrose injection prescribing information. Lake Forest, IL; 2014 May.</li> </ol> |

| Drug                     | Concentration Standards                                                                                       | Dosing units | Commercially available | Concentration vs. unit mismatch                               | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------|---------------------------------------------------------------------------------------------------------------|--------------|------------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EPINEPHrine <sup>1</sup> | <ol style="list-style-type: none"> <li>10 mcg/mL<sup>2</sup></li> <li>20 mcg/mL</li> <li>40 mcg/mL</li> </ol> | mcg/kg/min   | No                     | Possibly, depending on pharmacy or outsourcing facility label | <ol style="list-style-type: none"> <li>Hook R, Neault A, Scharrer, et.al. Chemical stability of epinephrine 10 mcg/mL diluted in 0.9% sodium chloride and stored in polypropylene syringes at 4 degrees and 25 degrees C. <i>Int J Pharm Compd.</i> 2023;27:347-351.</li> <li> <ol style="list-style-type: none"> <li>Allwood MD. The stability of four catecholamines in 5% glucose infusions. <i>J Clin Pharm Ther.</i> 1991;16:337-40.</li> <li>VanMatre ET, Ho KC, Lyda C, et.al. Extended Stability of Epinephrine Hydrochloride Injection in Polyvinyl Chloride Bags Stored in Amber Ultraviolet Light-Blocking Bags. <i>Hospital Pharmacy.</i> 2017;52:570-573.</li> <li> <ol style="list-style-type: none"> <li>Carr RR, Decarie D, EnsomMHH. Stability of Epinephrine at Standard Concentrations. <i>Can J Hosp Pharm.</i> 2014;67:197-202.</li> <li>Peddicord TE, Olsen KM, ZumBrunner TL, et.al. Stability of high-concentration dopamine hydrochloride, norepinephrine bitartrate, epinephrine hydrochloride and nitroglycerin 5% dextrose injection. <i>Am J Health-Syst Pharm.</i> 1997;54:1417-19.</li> </ol> </li> </ol> </li> </ol> |

| Drug                              | Concentration Standards                                                                    | Dosing units       | Commercially available                | Concentration vs. unit mismatch                              | References                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------|--------------------------------------------------------------------------------------------|--------------------|---------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Esmolol                           | <ol style="list-style-type: none"> <li>10 mg/mL</li> <li>20 mg/mL</li> </ol>               | <b>mcg/kg/min*</b> | Yes                                   | Yes                                                          | <ol style="list-style-type: none"> <li>Baxter. Brevibloc® injection (esmolol hydrochloride) prescribing information. (dated 1998 Jun). In: Physicians' desk reference. 54th ed. Montvale NJ: Medical Economics Company Inc; 2000:655-7.</li> <li>Baxter. Brevibloc® injection (esmolol hydrochloride) prescribing information. (dated 1998 Jun). In: Physicians' desk reference. 54th ed. Montvale NJ: Medical Economics Company Inc; 2000:655-7.</li> </ol> |
| Fenta <b>NYL</b>                  | <ol style="list-style-type: none"> <li>10 mcg/mL<sup>2</sup></li> <li>50 mcg/mL</li> </ol> | mcg/kg/hour        | Yes, as undiluted from 50 mcg/mL vial | Possibly depending on pharmacy or outsourcing facility label | <ol style="list-style-type: none"> <li>Extedned Stability for Parenteral Drugs 6th Edition, 2017. Ed. Bing, CD et. al. ASHP, 4500 East-West Highway, Suite 900, Bethesda, MD 20814</li> <li>Hospira, INC. Fentanyl Citrate injection, solution. prescribing information. Lake Forest, IL; 2019, December.</li> </ol>                                                                                                                                         |
| Furosemide                        | <ol style="list-style-type: none"> <li>2 mg/mL</li> <li>10 mg/mL</li> </ol>                | mg/kg/hour         | Yes, as undiluted from 10 mg/mL vial  | No                                                           | <ol style="list-style-type: none"> <li>Negro S, Rendon AL, Azuara M, et.al. Compatibility and Stability of Furosemide and Dexamethasone Comined in Infusion Solutions. Arzneimittelforschung. 2006;56:714-20.</li> <li>American Pharmaceutical Partners, Inc. Furosemide Injection, USP prescribing information. Schaumburg, IL; 2002 Apr.</li> </ol>                                                                                                        |
| Heparin (anticoagulation therapy) | <ol style="list-style-type: none"> <li>50 units/mL</li> <li>100 units/mL</li> </ol>        | units/kg/hour      | Yes                                   | No                                                           | <ol style="list-style-type: none"> <li>B.Braun Medical Inc. Heparin Sodium in Dextrose Injection prescribing information. Bethlehem, PA. 2018. April</li> <li>B.Braun Medical Inc. Heparin Sodium in Dextrose Injection prescribing information. Bethlehem, PA. 2018. April</li> </ol>                                                                                                                                                                       |

| Drug                                | Concentration Standards                                                                       | Dosing units  | Commercially available                                            | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------|-----------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Heparin (arterial line maintenance) | <ol style="list-style-type: none"> <li>0.5 units/mL (neonatal)</li> <li>2 Units/mL</li> </ol> |               | <ol style="list-style-type: none"> <li>No</li> <li>Yes</li> </ol> | <ol style="list-style-type: none"> <li>No</li> <li>No</li> </ol>   | <ol style="list-style-type: none"> <li>Monagle P, et.al. Antithrombotic Therapy in Neonates and Children. Chest. 2012;141(2 Suppl):e737S-e801S</li> <li>Butt W, et.al. Effect of heparin concentration and infusion rate on the patency of arterial catheters. Crit Care Med. 1987;15:230-2.</li> </ol>                                                                                                                                                                                                                                                                                                                                                      |
| <b>HYDRO</b> morphine <sup>3</sup>  | <ol style="list-style-type: none"> <li>0.2 mg/mL</li> <li>1 mg/mL</li> <li>5 mg/mL</li> </ol> | mg/kg/hr      | No, but many pharmacies purchase from outsourcing facilities      | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Ensom MHH, DeCarie D, Leung K, et al. Stability of hydromorphone-ketamine solutions in glass bottles, plastic syringes, and IV bags for pediatric use. <i>Can J Hosp Pharm</i>. 2009; 62(2):112b.</li> <li>Extended Stability for Parenteral Drugs 6th Edition, 2017. Ed. Bing, CD et. al. ASHP, 4500 East-West Highway, Suite 900, Bethesda, MD 20814</li> <li>Extended Stability for Parenteral Drugs 6th Edition, 2017. Ed. Bing, CD et. al. ASHP, 4500 East-West Highway, Suite 900, Bethesda, MD 20814</li> </ol>                                                                                                |
| Insulin (regular)                   | <ol style="list-style-type: none"> <li>0.2 units/mL</li> <li>1 unit/mL</li> </ol>             | units/kg/hour | Yes                                                               | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Product Information: HUMULIN(R) R subcutaneous injection, intravenous injection, insulin human subcutaneous injection, intravenous injection. Lilly USA LLC (per FDA), Indianapolis, IN, 2018. Micromedex</li> <li>Nolan PE, Hoyer GL, LeDoux JH et al. Stability of ranitidine hydrochloride and human insulin in 0.9% sodium chloride injection. <i>Am J Health-Syst Pharm</i>. 1997.</li> <li>Product Information: HUMULIN(R) R subcutaneous injection, intravenous injection, insulin human subcutaneous injection, intravenous injection. Lilly USA LLC (per FDA), Indianapolis, IN, 2018. Micromedex</li> </ol> |

| Drug          | Concentration Standards                                                        | Dosing units | Commercially available                        | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------|--------------------------------------------------------------------------------|--------------|-----------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Isoproterenol | <ol style="list-style-type: none"> <li>20 mcg/mL</li> <li>64 mcg/mL</li> </ol> | mcg/kg/min   | No                                            | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Isuprel (isoproterenol hydrochloride injection, USP) [prescribing information]. Lake Forest, IL: Hospira Inc; March 2013. Pediatric Injectable drugs 11th edition</li> <li> <ol style="list-style-type: none"> <li>Sinclair-Pingel J, Grisso AG, Hargrove FR, Wright L. Implementation of standardized concentrations for continuous infusions using a computerized provider Order Entry System [published correction appears in <i>Hosp Pharm.</i> 2007; 42:84-85]. <i>Hosp Pharm.</i> 2006;41:1102-1106.</li> <li>Sturgill MG, Kelly M, Notterman DA. Pharmacology of the cardiovascular system. In: Fuhrman BP, Zimmerman JJ, eds. Pediatric Critical Care. 4th ed. Philadelphia, PA: Elsevier Saunders; 2011. Pediatric Injectable Drugs 11th edition</li> </ol> </li> </ol> |
| Ketamine      | <ol style="list-style-type: none"> <li>2 mg/mL</li> <li>10 mg/mL</li> </ol>    | mg/kg/hour   | Yes, undiluted drug from the vial of 10 mg/mL | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Product Information: KETALAR intravenous injection, intramuscular injection, ketamine HCl intravenous injection, intramuscular injection. Par Pharmaceutical (per FDA), Chestnut Ridge, NY, 2017.</li> <li>Product Information: KETALAR intravenous injection, intramuscular injection, ketamine HCl intravenous injection, intramuscular injection. Par Pharmaceutical (per FDA), Chestnut Ridge, NY, 2017.</li> </ol>                                                                                                                                                                                                                                                                                                                                                          |

| Drug                   | Concentration Standards                                                    | Dosing units | Commercially available                       | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------|----------------------------------------------------------------------------|--------------|----------------------------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Labetalol              | <ol style="list-style-type: none"> <li>1 mg/mL</li> <li>5 mg/mL</li> </ol> | mg/kg/hour   | Yes, undiluted drug from the vial of 5 mg/mL | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Product Information: labetalol HCl intravenous injection, labetalol HCl intravenous injection. Hospira, Inc. (per DailyMed), Lake Forest, IL, 2015.</li> <li>Product Information: labetalol HCl intravenous injection, labetalol HCl intravenous injection. Hospira, Inc. (per DailyMed), Lake Forest, IL, 2015.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                |
| Lidocaine <sup>4</sup> | <ol style="list-style-type: none"> <li>4 mg/mL</li> <li>8 mg/mL</li> </ol> | mcg/kg/min*  |                                              | Yes, with commercially available product                           | <ol style="list-style-type: none"> <li>Smith FM, Nuessle NO. Stability of lidocaine hydrochloride in 5% dextrose injection in plastic bags. <i>Am J Hosp Pharm.</i> 1981; 38:1745-7.</li> <li>Product Information: Lidocaine HCl dextrose 5% intravenous injection, lidocaine HCl dextrose 5% intravenous injection. Baxter Healthcare Corporation (per FDA), Deerfield, IL, 2017.</li> <li>Stewart JT, Warren FW. Stability of ranitidine hydrochloride and seven medications. <i>Am J Hosp Pharm.</i> 1994; 51:1802-7.</li> <li>Product Information: Lidocaine HCl dextrose 5% intravenous injection, lidocaine HCl dextrose 5% intravenous injection. Baxter Healthcare Corporation (per FDA), Deerfield, IL, 2017.</li> </ol> |

| Drug      | Concentration Standards                                                                                                                              | Dosing units | Commercially available                                             | Concentration vs. unit mismatch                               | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Midazolam | <ol style="list-style-type: none"> <li>0.3 mg/mL (easier pump programming than 0.35 mg/mL less decimal)</li> <li>1 mg/mL</li> <li>5 mg/mL</li> </ol> | mg/kg/hour   | Yes, undiluted drug from the vial of 1 mg/mL vial and 5 mg/mL vial | Possibly, depending on pharmacy or outsourcing facility label | <ol style="list-style-type: none"> <li>Good PD, Schneider JJ, Ravenscroft PJ. The compatibility and stability of midazolam and dexamethasone in infusion solutions. <i>J Pain Sympt Manag</i>. 2004;27: 471-5.</li> <li> <ol style="list-style-type: none"> <li>Karlage K, Earhart Z, Green-Boesen K, Myrdal PB. Stability of midazolam hydrochloride injection 1-mg/mL solutions in polyvinyl chloride and polyolefin bags. <i>Am J Health Syst Pharm</i>. 2011;68(16):1537-1540.[PubMed 21817086].</li> <li>McMullin ST, Schaiff RA, and Dietzen DJ, "Stability of Midazolam Hydrochloride in Polyvinyl Chloride Bags Under Fluorescent Light," <i>Am J Hosp Pharm</i>, 1995, 52(18), 2018-20.</li> <li> <ol style="list-style-type: none"> <li>Pramar YV, Loucas VA, &amp; El-Rachidi A: Stability of midazolam hydrochloride in syringes and IV fluids. <i>Am J Health-Syst Pharm</i> 1997; 54:913-915.</li> <li>Product Information: MIDAZOLAM HCl intravenous intramuscular injection, midazolam HCl intravenous intramuscular injection. <i>Heritage Pharmaceuticals</i> (per DailyMed), Eatontown, NJ, 2017.</li> </ol> </li> </ol> </li> </ol> |
| Milrinone | <ol style="list-style-type: none"> <li>100 mcg/mL</li> <li>200 mcg/mL</li> </ol>                                                                     | mcg/kg/min   | Yes - 200 mcg/mL                                                   | No                                                            | <ol style="list-style-type: none"> <li> <ol style="list-style-type: none"> <li>Wilson TD, Forde MD. Stability of milrinone and epinephrine, atropine sulfate, lidocaine hydrochloride, or morphine sulfate injection. <i>Am J Hosp Pharm</i>. 1990;47(11):2504-7.</li> <li>Wilson TD, Forde MD, Crain AVR, Dombrowski LJ, Joyce MA. Stability of milrinone in 0.45% sodium chloride, 0.9% sodium chloride, or 5% dextrose injections. <i>Am J Hosp Pharm</i>. 1986;43(9):2218-2220.</li> </ol> </li> <li>Wong F, Gill MA. Stability of milrinone lactate 200 mcg/mL in 5% dextrose injection and 0.9% sodium chloride injection. <i>Int J Pharm Compound</i>. 1998; 2(2):168b</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| Drug                  | Concentration Standards                                                                            | Dosing units | Commercially available                                                                                  | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Morphine              | <ol style="list-style-type: none"> <li>0.2 mg/mL</li> <li>0.5 mg/mL</li> <li>1 mg/mL</li> </ol>    | mg/kg/hour   | Yes, undiluted drug from the vial of 1 mg/mL vial or ready-to-use products or premix products available | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>1. Veechio M, Walker SE, Iazzetta J et al. The stability of morphine intravenous infusion solutions. <i>Can J Hosp Pharm</i>. 1988; 41:5-9.</li> <li>2a. McMullin ST, Schaiff RA, and Dietzen DJ, "Stability of Midazolam Hydrochloride in Polyvinyl Chloride Bags Under Fluorescent Light," <i>Am J Hosp Pharm</i>, 1995, 52(18), 2018-20.</li> <li>2b. Altman L, Hopkins RJ, Ahmed S, et al: Stability of morphine sulfate in Cormed III (Kalex) intravenous bags. <i>Am J Hosp Pharm</i> 1990; 47:2040-2042</li> <li>3. Stiles ML, Tu YH, &amp; Allen LV Jr: Stability of morphine sulfate in portable pump reservoirs during storage and simulated administration. <i>Am J Hosp Pharm</i> 1989; 46:1404-1407.</li> </ol> |
| Naloxone <sup>5</sup> | <ol style="list-style-type: none"> <li>16 mcg/mL</li> <li>40 mcg/mL</li> <li>400 mcg/mL</li> </ol> | mcg/kg/hour  | Yes, 0.4 mg/mL vials, however will most likely compound from 1 mg/mL vials                              | Yes                                                                | <ol style="list-style-type: none"> <li>1a. Product Information Naloxone Hydrochloride Injection, solution. Hospira Inc. Lake Forest, IL. 9/2019. 4 mcg/mL.</li> <li>1b. Lewis JM, Klein-Schwartz W, Benson BE, et al. Continuous naloxone infusion in pediatric narcotic overdose. <i>Am J Dis Child</i>. 1984;138(10):944-946. 8 mcg/mL</li> <li>2. American Pain Society. Principles of Analgesic Use in the Treatment of Acute Pain and Cancer Pain. 6th ed. Glenview, IL: American Pain Society; 2008.</li> <li>3. Product Information Naloxone Hydrochloride Injection, solution. Hospira Inc. Lake Forest, IL. 9/2019.</li> </ol>                                                                                                                             |

| Drug          | Concentration Standards                                                                           | Dosing units       | Commercially available | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------|---------------------------------------------------------------------------------------------------|--------------------|------------------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NiCARDipine   | <ol style="list-style-type: none"> <li>0.1 mg/mL</li> <li>0.2 mg/mL</li> <li>0.5 mg/mL</li> </ol> | <b>mcg/kg/min*</b> | Yes - 0.1 mg/mL        | Yes                                                                | <ol style="list-style-type: none"> <li>Product Information: CARDENE(R) IV solution for IV infusion, nicardipine HCL solution for IV infusion. EKR Therapeutics, Inc, Bedminster, NJ, 2014.</li> <li>Product Information: CARDENE(R) IV solution for IV infusion, nicardipine HCL solution for IV infusion. EKR Therapeutics, Inc, Bedminster, NJ, 2014.</li> <li>Baaske DM, DeMay JF, Latona CA, et al. Stability of Nicardipine Hydrochloride in Intravenous Solutions. <i>Am J Health Syst Pharm.</i> 1996;53(14):1701-1705</li> </ol> |
| Nitroglycerin | <ol style="list-style-type: none"> <li>200 mcg/mL</li> <li>400 mcg/mL</li> </ol>                  | mcg/kg/min         | Yes                    | No, product does have concentration in mcg/mL                      | <ol style="list-style-type: none"> <li>Product Information: Nitroglycerin Injection. Abbott Laboratories, North Chicago, IL, October 2014</li> <li>Product Information: Nitroglycerin Injection. Abbott Laboratories, North Chicago, IL, October 2014</li> </ol>                                                                                                                                                                                                                                                                         |
| Nitroprusside | <ol style="list-style-type: none"> <li>200 mcg/mL</li> <li>500 mcg/mL</li> </ol>                  | mcg/kg/min         | Yes                    | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Product Information: NIPRIDE RTU intravenous injection, sodium nitroprusside intravenous injection. Exela Pharma Sciences, LLC (per FDA), Lenoir, NC, 2017.</li> <li>Product Information: NIPRIDE RTU intravenous injection, sodium nitroprusside intravenous injection. Exela Pharma Sciences, LLC (per FDA), Lenoir, NC, 2017.</li> </ol>                                                                                                                                                       |

| Drug                        | Concentration Standards                                                                                       | Dosing units | Commercially available                                                                        | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------|---------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Norepinephrine <sup>1</sup> | <ol style="list-style-type: none"> <li>16 mcg/mL<sup>2</sup></li> <li>32 mcg/mL</li> <li>64 mcg/mL</li> </ol> | mcg/kg/min   | Yes                                                                                           | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Product Information: Norepinephrine Bitartrate in Dextrose Injection. Baxter Healthcare Corporation, Deerfield, IL. November 2023.</li> <li>Product Information: Norepinephrine Bitartrate in Dextrose Injection. Baxter Healthcare Corporation, Deerfield, IL. November 2023.</li> <li>Product Information: Norepinephrine Bitartrate in Dextrose Injection. Baxter Healthcare Corporation, Deerfield, IL. November 2023.</li> </ol> |
| Octreotide                  | <ol style="list-style-type: none"> <li>2.5 mcg/mL</li> <li>10 mcg/mL</li> <li>50 mcg/mL</li> </ol>            | mcg/kg/hour  | No, however the 50 mcg/mL concentration may be used undiluted from the available vial/ampule. | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Novartis Pharmaceuticals. Sandostatin® (octreotide acetate) injection prescribing information. East Hanover, NJ; 2012 March.</li> <li>Novartis Pharmaceuticals. Sandostatin® (octreotide acetate) injection prescribing information. East Hanover, NJ; 2012 March.</li> <li>Novartis Pharmaceuticals. Sandostatin® (octreotide acetate) injection prescribing information. East Hanover, NJ; 2012 March.</li> </ol>                   |
| Pantoprazole                | 0.8 mg/mL                                                                                                     | mg/kg/hour   | No                                                                                            | No                                                                 | <ol style="list-style-type: none"> <li>Donnelly RF. Stability of pantoprazole sodium in glass vials, polyvinyl chloride minibags, and polypropylene syringes. <i>Can J Hosp Pharm.</i> 2011; 64:192-8.</li> <li>Wyeth. Protonix® (pantoprazole sodium) I.V. for injection prescribing information. Philadelphia, PA; 2012 May.</li> </ol>                                                                                                                                    |

| Drug          | Concentration Standards                                                                            | Dosing units       | Commercially available                     | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------|----------------------------------------------------------------------------------------------------|--------------------|--------------------------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PENTobarbital | <ol style="list-style-type: none"> <li>8 mg/mL</li> <li>50 mg/mL</li> </ol>                        | mg/kg/hour         | Yes, undiluted drug from the 50 mg/mL vial | no                                                                 | <ol style="list-style-type: none"> <li>Walker SE, Iazzetta J. Compatibility and stability of pentobarbital infusions. <i>Anesthesiology</i>. 1981; 55:487-9.</li> <li> <ol style="list-style-type: none"> <li>Gupta VD. Stability of pentobarbital sodium after reconstitution in 0.9% sodium chloride injection and repackaging in glass and polypropylene syringes. <i>International Journal of Pharmaceutical Compounding</i>. 2001, 5(6): 482-484.</li> <li>Nembutal(R) Sodium intravenous injection, intramuscular injection, pentobarbital sodium intravenous injection, intramuscular injection. Akorn, Inc. (per DailyMed), Lake Forest, IL, 2012.</li> </ol> </li> </ol> |
| Phenylephrine | <ol style="list-style-type: none"> <li>80 mcg/mL</li> <li>400 mcg/mL</li> </ol>                    | mcg/kg/min         | No                                         | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li> <ol style="list-style-type: none"> <li>West-Ward Pharmaceuticals. Phenylephrine hydrochloride injection prescribing information. Eatontown, NJ; 2012 Dec.</li> <li>Éclat Pharmaceuticals. Vazculep® (phenylephrine hydrochloride) injection prescribing information. Chesterfield, MO; 2014</li> </ol> </li> <li>Jansen JJ, Oldland AR, Kiser TH. Evaluation of phenylephrine stability in polyvinyl chloride bags. <i>Hosp Pharm</i>. 2014; 49:455-7.</li> </ol>                                                                                                                                                                         |
| Propofol      | 10 mg/mL                                                                                           | <b>mcg/kg/min*</b> | Yes                                        | Yes                                                                | <ol style="list-style-type: none"> <li>Fresenius Kabi USA, LLC. Diprivan® (propofol) injectable emulsion prescribing information. Lake Zurich, IL; 2017 Nov.</li> </ol>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Remifentanyl  | <ol style="list-style-type: none"> <li>20 mcg/mL</li> <li>50 mcg/mL</li> <li>100 mcg/mL</li> </ol> | mcg/kg/min         | No                                         | Possibly depending on pharmacy label or outsourcing facility label | <ol style="list-style-type: none"> <li>Mylan Institutional LLC. Ultiva® (remifentanyl hydrochloride) prescribing information. Rockford, IL; 2017 Dec.</li> <li>Mylan Institutional LLC. Ultiva® (remifentanyl hydrochloride) prescribing information. Rockford, IL; 2017 Dec.</li> <li>Bevans-Warren TS, Clegg DO, Sakata DJ, Reilly CA. Remifentanyl Stability. <i>Anesthesia &amp; Analgesia</i>. 2018;127:p e51-52.</li> </ol>                                                                                                                                                                                                                                                 |

| Drug               | Concentration Standards      | Dosing units                                                          | Commercially available                                                                                 | Concentration vs. unit mismatch                                    | References                                                                                                                                                                                                       |
|--------------------|------------------------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rocuronium         | 10 mg/mL                     | <b>mcg/kg/min</b>                                                     | Yes, undiluted drug from the vial of 10 mg/mL                                                          | Possibly depending on pharmacy label or outsourcing facility label | 1. Hospira. Rocuronium bromide injection prescribing information. Lake Forest, IL: 2014 Feb.                                                                                                                     |
| Sodium Bicarbonate | 1. 0.5 mEq/mL<br>2. 1 mEq/mL | mEq/kg/hour                                                           | Yes, undiluted if using the prefilled 0.5 mEq/mL syringes and as undiluted drug from the 1 mEq/mL vial | No                                                                 | 1. Hospira. Sodium Bicarbonate Injection, USP Vial dosage and administration. Lake Forest, IL. 1/2018.<br>2. Hospira. Sodium Bicarbonate Injection, USP Vial dosage and administration. Lake Forest, IL. 5/2018. |
| Sodium Chloride    | 0.5 mEq/mL (3%)              | <b>mL/kg/hour vs. mEq/kg/hour, depending on institution protocols</b> | Yes, as 500 mL bags                                                                                    | Yes, based on dosing units used                                    | 1. Product information: sodium chloride 3% 5% intravenous injection, Baxter Healthcare Corporation (per DailyMed) Deerfield, IL, 20014.                                                                          |
| Tacrolimus         | 0.02 mg/mL                   | mg/kg/day                                                             | No                                                                                                     | Possibly depending on pharmacy label or outsourcing facility label | 1. Astellas Pharma US, Inc. Prograf® (tacrolimus) capsules and injection prescribing information. Northbrook, IL; 2015 May.                                                                                      |
| Terbutaline        | 1 mg/mL                      | <b>mcg/kg/min*</b>                                                    | Yes, undiluted from the 1 mg/mL vial                                                                   | Possibly depending on pharmacy label or outsourcing facility label | 1. Glascock JC, DiPiro JT, Cadwallader DE et al. Stability of terbutaline sulfate repackaged in disposable plastic syringes. <i>Am J Hosp Pharm.</i> 1987; 44:2291-3.                                            |
| Tranexamic Acid    | 10 mg/mL                     | mg/kg/hour                                                            | Yes                                                                                                    | No                                                                 | 1. Product Information. Tranexamic acid in sodium chloride- tranexamic acid injection, solution. Exela Pharma Sciences, LLC, Lenoir, NC . 2019 April.                                                            |

| Drug        | Concentration Standards                                                                                   | Dosing units                                                                                                                                    | Commercially available                                              | Concentration vs. unit mismatch | References                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------|-----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Vasopressin | <ol style="list-style-type: none"> <li>0.05 units/mL</li> <li>0.2 units/mL</li> <li>1 units/mL</li> </ol> | <p><b>VASOCONSTRICTION/<br/>GI BLEED:</b><br/><b>milliunits/kg/<br/>min*</b></p> <p><b>DIABETES INSIPIDUS:</b><br/><b>milliunits/kg/hr*</b></p> | No                                                                  | Yes                             | <ol style="list-style-type: none"> <li>Wise-Faberowski L, Soriano SG, Ferrari L, et al. Perioperative management of diabetes insipidus in children. J Neurosurg Anesthesiol. 2004;16(3):220-225.</li> <li>ASHP Interactive Handbook on Injectable Drugs Accessed July 13, 2020</li> <li>Par Pharmaceutical Companies, Inc. Vasostrict® (vasopressin) injection prescribing information. Spring Valley, NY; 2015 Mar.</li> </ol> |
| Vecuronium  | 1 mg/mL <sup>2</sup>                                                                                      | <b>mcg/kg/min</b>                                                                                                                               | No, but when the vial is diluted then no further dilution is needed | Yes                             | <ol style="list-style-type: none"> <li>Product InformationL Vecuronium bromide ntravenous injection lyophilized powder for solution. Fresenius Kabi USA, LLC (per DailyMed) Lake Zurich, IL. 2016</li> </ol>                                                                                                                                                                                                                    |

**\*BOLD - dosing units differ from concentration units**

## NOTES

1 The expert panel and ISMP recommend different concentrations of epinephrine and norepinephrine.

2 Babies under 500 gms may require a lower concentration.

3 The hydromorphone standard concentrations are intended for continuous infusion devices and NOT via PCA.

4 The recommended concentrations are intended for cardiac indications only.

5 The panel recognizes these two concentrations are 10x differences, however these are the only two concentrations studied for stability.